

**Amendments to the Claims**

This listing of claims will replace all prior listings of claims in the application.

**Listing of Claims**

1.-9. (Canceled)

10. (Currently Amended) A metalized molded product comprising a molded product made of a thermoplastic resin composition comprising 90-30% by weight of (A) a thermoplastic resin consisting of a blend of (1) a polyamide, (2) a styrene polymer selected from the group consisting of high-impact polystyrene, an acrylonitrile-butadiene-styrene copolymer, an acrylonitrile-styrene copolymer and a styrene-butadiene copolymer and (3) a copolymer of a carboxy group-containing unsaturated compound and styrene, 5-60% by weight of (B) a fibrous filler and 5-60% by weight of (C) a whisker and a metal plating provided on the molded product.

11. (Previously Presented) The metalized molded product of Claim 10, wherein the fibrous filler is carbon fiber.

12. (Previously Presented) The metalized molded product of Claim 10, wherein the thermoplastic resin composition further comprises a flame retardant.

13. (Previously Presented) The metalized molded product of Claim 12, wherein the flame retardant is at least one member selected from the group consisting of a red phosphorus flame retardant and a hydrated metal flame retardant.

14. (Previously Presented) The metalized molded product of Claim 10, wherein the thermoplastic resin is at least one

member selected from the group consisting of a polyamide and an ABS resin.

15. (Previously Presented) The metalized molded product of Claim 14, wherein the thermoplastic resin is an ABS resin.

16.-18. (Canceled)

19. (Previously Presented) The metalized molded product of Claim 13, wherein the flame retardant is a hydrated metal flame retardant.

20. (Canceled)

21. (Previously Presented) The metalized molded product of Claim 10, wherein the thermoplastic resin composition comprises 90-30% by weight of (A) a thermoplastic resin comprising at least one member selected from the group consisting of a polyamide and a styrene polymer, 5-60% by weight of (B) carbon fiber, 5-60% by weight of a whisker having a specific gravity of at least 2 and a flame retardant comprising at least one member selected from the group consisting of a red phosphorus flame retardant and a hydrated metal flame retardant.

22. (Previously Presented) The metalized molded product of Claim 21, wherein the thermoplastic resin is an ABS resin and the flame retardant is a hydrated metal flame retardant.

23. (New) The metalized molded product of Claim 10, wherein the styrene polymer is selected from the group consisting of high-impact polystyrene, acrylonitrile-butadiene-styrene copolymer and styrene-butadiene copolymer.

24. (New) The metalized molded product of Claim 10, wherein the polyamide is nylon 6, the styrene polymer is an

acrylonitrile-butadiene-styrene copolymer and the copolymer of a carboxy group-containing unsaturated compound and styrene is a maleic acid-modified acrylonitrile-butadiene-styrene copolymer.

25. (New) The metalized molded product of Claim 10, wherein the fibrous filler is a carbon filler and the whisker is aluminum borate whisker.

26. (New) The metalized molded product of Claim 12, wherein the flame retardant is a hydrate of an alkali metal or an alkaline earth metal.

27. (New) The metalized molded product of Claim 12, wherein the flame retardant is magnesium hydroxide.

28. (New) The metalized molded product of Claim 10, wherein the polyamide is nylon 6, the styrene polymer is an acrylonitrile-butadiene-styrene copolymer, the copolymer of a carboxy group-containing unsaturated compound and styrene is a maleic acid-modified acrylonitrile-butadiene-styrene copolymer, the filler is carbon fiber, the whisker is aluminum borate whisker and a red phosphorus flame retardant is present in the thermoplastic resin composition.